

MANUFACTURER OF

QUALITY FIRE SUPPRESSION SYSTEMS

C-SERIES

ADVANTAGES:

- Clean Agent
- No Clean Up
- No Residue
- Electrically Nonconductive
- Human Safe

RATING:

Class B Fires: Flammable liquids & gases

Class C Fires:
Fires involving live electrical equipment

MADE IN THE U.S.A.



Applications include:

- MARINE ACCOMMODATION AREA
- MARINE ENGINE COMPARTMENT
- ELECTRICAL CONTROL ROOM
- MACHINERY COMPARTMENT
- LABORATORY CHEMICALS
- COMPUTER ROOMS
- AUTOMOTIVE







SEA-FIRE FM-200® C-Series Portable Fire Extinguishers are designed for fire protection, especially where the benefits of "clean agent" fire extinguishing are required. Typically, there are areas that contain critical or irreplaceable assets which may be damaged or destroyed by water, foam, dry chemical or carbon dioxide extinguishers.

SEA-FIRE C-Series portable fire extinguishers are ideal for protecting high-value assets against fire applications where space is limited and portability or localized application is required. The "clean agent" characteristics of the SEA-FIRE C-Series portable fire extinguisher combined with its strong human safety profile make it ideal for the protection of occupied spaces where human safety is a paramount concern.

Visit our website

WWW.SEA-FIRE.COM



MANUFACTURER OF

QUALITY FIRE SUPPRESSION SYSTEMS

C-SERIES



APPROVALS/ CERTIFICATIONS:

- FAA (Federal Aviation Administration)
- **UL** (Underwriters Laboratory)
- USCG* (United States Coast Guard)
- * USCG approval is valid only with the marine mounting bracket specified on the rear label of the extinguisher. SEA-FIRE models C-50 and C-100 are available with a heavy duty bracket, which meets USCG approval.

Distributed by:



MODEL NUMBER	AGENT WEIGHT	UNIT (Diameter x Height)	RATING	APPROVALS
C 20	7.50 lbs. (3.4 kg)	3.5" x 16.5" (90mm x 419mm)	2 B:C	-
C 50	12.0 lbs. (5.4 kg)	4.3" x 16.5" (110mm x 419mm)	5 B:C	USCG/FAA
C 100	18.0 lbs. (8.2 kg)	5.1" x 17.5" (130mm x 445mm)	5 B:C	USCG

EXCEPTIONAL FIRE FIGHTING PERFORMANCE

- Unique extinguisher design and fast-acting fire suppression provide rapid extinguishing
- Performs over a wide range of temperature conditions; tested to -40°F
- Safe for sensitive electronic components such as radar, GPS, control cabinets, radio and telecommunication equipment
- Easy to service; Rechargeable
- Electrically nonconductive
- Residue free
- Will not cause cause thermal shock damage

QUALITY CONSTRUCTION

- Powder-coated aluminum cylinders resist dents and scratching
- 100% leak-tested
- Large color-coded pressure gauge provides quick visual indication of unit readiness
- The reliable valve assembly is manufactured to exact specifications from corrosion resistant brass

ENVIRONMENTAL RESPONSIBILITY

- FM-200® is accepted and respected worldwide
- Zero ozone depletion potential
- Low atmospheric lifetime
- Voluntary reduction of emissions
- Accepted replacement for products banned under the Montreal Protocol
- Recoverable and recyclable at the end of useful service life
- Accepted by EPA's Significant New Alternatives Program (SNAP)

HUMAN SAFETY

- Safe for use in occupied spaces and engine compartments
- Same compound used in pharmaceutical inhalers to dispense asthma medications

Visit our website

WWW.SEA-FIRE.COM